

AD-A074 982

ARMY ELECTRONICS RESEARCH AND DEVELOPMENT COMMAND WS--ETC F/G 4/2
19702A GSRs, MISSILE NUMBER 340, ROUND NUMBER B-27, 6 AUGUST 19--ETC(U)
AUG 79


UNCLASSIFIED

ERADCOM/ASL-DR-1048

NL

| OF |
AD
A074982





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

DR 1048

AUGUST 1979

AD

AD A074982

LEVEL

42

METEOROLOGICAL DATA REPORT

19702A GSRS
Missile No. 340
Round No. B-27
6 August 1979

by

White Sands Meteorological Team

DDC
RECEIVED
OCT 12 1979
E

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

DDC FILE COPY

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND

79 10 12 082

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DR 1048	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 19702A GSRS, Missile Number 340, Round Number B-27, 6 August 1979.		5. TYPE OF REPORT & PERIOD COVERED
7. AUTHOR(s) White Sands Meteorological Team		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS 17 03		8. CONTRACT OR GRANT NUMBER(s) 16 1T665702D126
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research & Development Comd Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Research & Development Comd 12 25		12. REPORT DATE AUG 79
		13. NUMBER OF PAGES
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) 14 ERADCOM/ASL-DR-1048		
18. SUPPLEMENTARY NOTES 9 Meteorological data rept.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) 1. Ballistics 2. Meteorology 3. Wind		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of 19702A GSRS, Missile Number 340, Round Number B-27, are presented in tabular form.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED 410 663
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

CONTENTS	PAGE
INTRODUCTION-----	1
DISCUSSION-----	1
MAP-----	2
TABLES	
1. Surface Observation Taken at 0900 MDT at LC-33-----	3
2. Anemometer-Measured Wind Speed and Direction, LC-33 Fixed Pole, Taken at 0900 MDT-----	4
3. LC-33 Pilot Balloon Measured Wind Data at 0850 MDT-----	5-6
4. LC-33 Pilot Balloon Measured Wind Data at 0900 MDT-----	7-8
5. Nick Site Pilot Balloon Measured Wind Data at 0850 MDT-----	9-10
6. Nick Site Pilot Balloon Measured Wind Data at 0900 MDT-----	11-12
7. SMR Significant Level Data at 0830 MST-----	13-14
8. SMR Upper Air Data at 0830 MST-----	15-19
9. SMR MRN Significant Level Data 0830 MST-----	20
10. SMR Mandatory Levels at 0830 MST-----	21
11. SMR MRN Mandatory Levels at 0830 MST-----	22

Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DDC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Availand/or special
A	

INTRODUCTION

19702A GSRS , Missile Number 340 , Round Number B-27 , was launched from LC-33 , White Sands Missile Range (WSMR), New Mexico, at 0900 MDT, 6 August 1979 . The scheduled launch time was 0900 MDT.

DISCUSSION

Meteorological data were recorded and reduced by the White Sands Meteorological Team, Atmospheric Sciences Laboratory (ASL), White Sands Missile Range, New Mexico. The data were obtained by the following methods:

1. Observations

a. Surface

(1) Standard surface observations to include pressure, temperature ($^{\circ}\text{C}$), relative humidity, dew point ($^{\circ}\text{C}$), density (gm/m^3), wind direction and speed, and cloud cover were made at the LC-33 Met Site at T-0 minutes.

(2) Anemometer data were provided from existing pole-mounted and tower-mounted anemometers at LC-33. Monitor of wind speed and direction from one anemometer was also provided in the launch control room.

b. Upper Air

(1) Low level wind data were obtained from RAPTS T-9 pilot observation at:


SITE AND ALTITUDE

LC-33 1020 Meters
NICK 1080 Meters

(2) Air structure data (rawinsonde) were collected at the following Met Sites. Data were collected from surface to 98,000 feet in 500-foot increments.

SITE AND TIME

SMR 0830 MST



1. MET TOWER - 4 Bendix Model T-20 Anemometers at 12 ft, 62 ft, 102 ft, and 202 ft with E/A recorders.
2. POLE ANEMOMETER - Bendix Model T-120 with E/A recorders.
 - (a) Pole #1 - 38.7 ft
 - (b) Pole #2 - 53.0 ft
 - (c) Pole #3 - 83.6 ft
3. RAPTS T-9 Radar Automatic Pilot-Balloon Tracking System T-9 Radar.

TABLE 1. Surface observation taken at LC-33
6 August 1979 at 0900 MDT, 19702A GSRS
Missile No. 340, Round No. B-27.

ELEVATION	3977.30	FT/MSL
PRESSURE	885.8	MBS
TEMPERATURE	23.2	°C
RELATIVE HUMIDITY	44	%
DEW POINT	10.2	°C
DENSITY	1033	GM/M ³
WIND SPEED	03	MPH
WIND DIRECTION	100	DEGREES
CLOUD COVER	Clear	

TABLE 2. LC-33 FIXED POLE ANEMOMETER-MEASURED WINDS

POLE #1			POLE #2			POLE #3		
T-TIME SEC	DIR DEG	SPEED MPH	T-TIME SEC	DIR DEG	SPEED MPH	T-TIME SEC	DIR DEG	SPEED MPH
-30	147	04	-30	156	02	-30	135	Missing
-20	150	02	-20	155	02	-20	135	Missing
-10	150	02	-10	156	02	-10	135	Missing
0.0	150	02	0.0	162	02	0.0	159	Missing
+10	153	02	+10	168	02	+10	156	Missing

Type 19702 GSRS, Missile No. 340, Round No. B-27 launched
from LC-33 on 6 August 1979 at 0900 MDT.

POLE #1 = X485,874.29 Y185,958.90 H4018.74 38.7 ft. AGL

POLE #2 = X485,874.93 Y186,012.00 H4033.57 53.0 ft. AGL

POLE #3 = X485,877.29 Y186,116.06 H4063.92 83.6 ft. AGL

NOTE: Wind directions are referenced to the firing azimuth _____
or true north true north.

PILOT BALLOON MEASURED WIND DATA*

TABLE 3

RELEASED FROM LC-33 DATE 6 August 1979 TIME 0850 MDT
 RELEASE POINT COORDINATES (WSTM) X=486,037.24 Y=182,350.16 H=3977.30
 MISSILE TYPE 19702A GSRS MISSILE NO. 340 Round NO. B-27
 MISSILE LAUNCHED FROM LC-33 DATE 6 Aug 1979 TIME 0900 MDT
 NOTE: WIND DIRECTIONS ARE REFERENCED TO THE FIRING AZIMUTH
 OR TRUE NORTH true north

Heights are METERS AGL METERS or FEET AGL

HEIGHT AGL	DIRECTION DEGREES	SPEED MPH
SFC	115	03.0
30	080	01.5
60	CALM	CALM
90	070	04.0
120	095	08.0
150	104	07.5
180	113	06.5
210	128	05.5
240	142	04.5
270	163	04.5
300	183	04.0
330	193	04.0
360	203	03.5

HEIGHT AGL	DIRECTION DEGREES	SPEED MPH
390	176	03.5
420	149	03.0
450	159	04.0
480	169	04.5
510	170	05.0
540	171	05.5
57017	172	06.0
600	172	06.0
630	173	06.5
660	172	07.0
690	170	07.0
720	167	07.0
750	170	07.0

DELAS-MS-MT-WS Form 46
 1 Sept 1979

Replaces DELAS-MS-MT-WS
 forms 46-A & 46-B and all
 other Pibal forms which are
 obsolete.

[illegible][illegible]

PILOT BALLOON MEASURED WIND DATA*

TABLE 4

RELEASED FROM LC-33 DATE 6 August 1979 TIME 0900 MDT

RELEASE POINT COORDINATES (WSTM) X= 486,037.24 Y= 182,350.16 H= 3977.30

MISSILE TYPE 19702A GSRS MISSILE NO. 340 ROUND NO. B-27

MISSILE LAUNCHED FROM LC-33 DATE 6 August 1979 TIME 0900 MDT

NOTE: WIND DIRECTIONS ARE REFERENCED TO THE FIRING AZIMUTH

OR TRUE NORTH true north

Heights are METERS AGL METERS or FEET AGL

HEIGHT AGL	DIRECTION DEGREES	SPEED MPH
SFC	100	03.0
30	163	02.0
60	225	01.0
90	145	02.0
120	064	03.0
150	086	04.0
180	107	04.5
210	100	04.5
240	092	04.0
270	119	03.5
300	146	03.0
330	145	03.0
360	144	03.0

HEIGHT AGL	DIRECTION DEGREES	SPEED MPH
390	144	04.0
420	143	04.5
450	147	04.5
480	151	04.5
510	158	05.0
540	164	05.0
570	169	05.0
600	174	05.0
630	173	15.5
660	172	06.0
690	176	07.0
720	180	08.0
750	182	08.5

DELAS-MS-MT-WS Form 46

1 Sept 1979

replaces DELAS-MS-MT-WS
forms 46-A & 46-B and all
other Pibal forms which are
obsolete.

[illegible]

PILOT BALLOON MEASURED WIND DATA*

TABLE 5

RELEASED FROM NICK DATE 6 August 1979 TIME 0850 MDTRELEASE POINT COORDINATES (WSTM) X=470,734.56 Y=255,775.64 H=4126.57MISSILE TYPE 19702A GSRS MISSILE NO. 340 ROUND NO. B-27MISSILE LAUNCHED FROM LC-33 DATE 6 August 1979 TIME 0900 MDT

NOTE: WIND DIRECTIONS ARE REFERENCED TO THE FIRING AZIMUTH

OR TRUE NORTH true northHeights are METERS AGL METERS or FEET AGL

HEIGHT AGL	DIRECTION DEGREES	SPEED MPH
SFC	180	5.0
30	158	3.0
60	135	0.5
90	138	1.0
120	140	1.0
150	147	1.0
180	153	1.0
210	151	1.5
240	149	1.5
270	155	3.5
300	160	5.5
330	163	6.0
360	166	6.5

HEIGHT AGL	DIRECTION DEGREES	SPEED MPH
390	166	6.5
420	165	6.0
450	163	5.5
480	161	5.0
510	153	5.0
540	145	5.0
570	148	5.5
600	151	5.5
630	155	5.5
660	159	5.5
690	166	6.0
720	173	6.5
750	170	6.0

DELAS-MS-MT-WS Form 46

1 Sept 1979

Replaces DELAS-MS-MT-WS
forms 46-A & 46-B and all
other Pibal forms which are
obsolete.

PILOT BALLOON MEASURED WIND DATA*

TABLE 6

RELEASED FROM NICK DATE 6 August 1979 TIME 0900 MDTRELEASE POINT COORDINATES (WSTM) X=470,734.56 Y=255,775.64 H=4126.57MISSILE TYPE 19702A GSRS MISSILE NO. 340 ROUND NO. B-27MISSILE LAUNCHED FROM LC-33 DATE 6 August 1979 TIME 0900 MDT

NOTE: WIND DIRECTIONS ARE REFERENCED TO THE FIRING AZIMUTH

OR TRUE NORTH true northHeights are METERS AGL METERS or FEET AGL

HEIGHT AGL	DIRECTION DEGREES	SPEED MPH
SFC	180	5.0
30	171	3.5
60	162	1.5
90	163	3.0
120	163	4.0
150	163	5.0
180	162	6.0
210	165	6.0
240	168	6.0
270	169	6.0
300	169	6.0
330	167	6.0
360	164	6.0

HEIGHT AGL	DIRECTION DEGREES	SPEED MPH
390	164	6.0
420	164	5.5
450	156	5.5
480	148	5.0
510	155	5.5
540	162	6.0
570	167	6.5
600	171	6.5
630	174	7.0
660	176	7.0
690	177	7.5
720	178	7.5
750	178	7.5

DELAS-MS-MT-WS Form 46

1 Sept 1979

11

replaces DELAS-MS-MT-WS
forms 46-A & 46-B and all
other Pibal forms which are
obsolete.

[illegible][illegible]

GEODETIC COORDINATES
32.48034 LAT DEG
106.42307 LON DEG

SIGNIFICANT LEVEL DATA
2180000263
S M R

STATION ALTITUDE 3997.30 FEET MSL
6 AUG. 79 0830 HRS MST
ASCENSION ILO. 203

PRESSURE GEOMETRIC ALTITUDE MILLIBARS MSL FEET	TEMPERATURE AIR DEWPOINT DEGREES CENTIGRADE	REL. HUM. PERCENT
684.9 3997.3	24.8 12.7	47.0
678.0 4222.0	22.6 7.6	38.0
650.0 5144.3	20.2 6.2	40.0
778.8 7611.2	17.2 5.5	46.0
750.2 8556.0	14.2 7.3	63.0
731.4 9339.7	13.2 2.4	48.0
700.0 10567.1	10.3 .3	50.0
667.4 11863.9	6.5 -.0	63.0
658.4 12229.9	5.6 -3.5	52.0
641.0 12949.8	5.4 -12.5	26.0
632.0 13329.6	5.6 -13.3	24.0
614.8 14069.1	4.0 -10.0	35.0
597.8 14816.1	1.8 -4.1	65.0
580.6 15590.3	1.3 -7.2	53.0
500.0 19489.4	-6.8 -15.9	48.0
477.0 20695.2	-8.4 -26.8	21.0
454.4 21929.2	-10.4 -29.0	20.0
425.0 23611.6	-14.2 -21.4	54.0
400.0 25116.3	-17.4 -26.3	38.0
390.2 25726.1	-19.0 -31.2	33.0
323.4 30086.1	-29.4 -37.3	46.0
319.2 30538.0	-29.8 -46.9	17.0
313.4 30968.1	-30.1 -49.5	13.0
300.0 31967.7	-32.3	
250.0 36129.4	-43.0	
235.6 37438.2	-46.0	
225.4 38406.0	-47.1	
200.0 40922.0	-52.7	
179.6 43224.3	-57.3	
150.0 46951.4	-63.0	
129.2 49961.3	-65.8	
109.2 53299.1	-69.7	
100.0 55022.0	-71.5	
82.4 58863.1	-64.3	
79.6 59558.7	-55.8	
70.0 62158.9	-62.1	
64.2 63927.9	-61.3	
59.2 65603.8	-57.7	
50.0 69136.6	-56.3	
40.0 73309.1	-57.4	

STATION ALTITUDE 3997.30 FEET MSL
 6 AUG. 79 0630 HRS MST
 ASCENSION 10. 263

SIGNIFICANT LEVEL DATA
 2180060203
 S M R

GEODETIC COORDINATES
 32.46034 LAT DEG
 106.42307 LON DEG

PRESSURE	GEOMETRIC ALTITUDE	TEMPERATURE AIR	DEWPOINT DEGREES	REL. HUM. PERCENT
30.0	79900.2	-51.7		
26.0	82993.1	-48.5		
20.0	88742.3	-45.7		
14.4	95985.3	-46.0		
13.0	98255.8	-42.8		

GEODETIC COORDINATES
32.4034 LAT DEG
106.42307 LON DEG

UPPER AIR DATA
2180000203
S M R

STATION ALTITUDE 3997.30 FEET MSL
6 AUG. 79 0830 HRS MST
ASCENSION NO. 203

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES (TN)	SPEED KNOTS	INDEX OF REFRACTION
3997.3	884.9	24.8	47.0	1028.1	674.6	0	0	1.000292
4000.0	884.8	24.8	46.9	1028.1	674.5			1.000292
4500.0	859.5	21.9	38.6	1022.1	670.6			1.000272
5000.0	854.3	20.6	39.7	1008.9	669.1			1.000267
5500.0	839.3	19.8	40.9	994.0	668.2			1.000263
6000.0	824.6	19.2	42.1	978.5	667.5			1.000260
6500.0	810.1	18.6	43.3	963.3	666.8			1.000258
7000.0	795.9	17.9	44.5	948.3	666.1			1.000252
7500.0	781.9	17.3	45.7	933.6	665.4			1.000249
8000.0	768.0	16.1	52.3	920.7	664.1			1.000249
8500.0	754.4	14.6	60.5	908.5	662.6			1.000249
9000.0	741.0	13.7	55.7	895.8	661.3			1.000240
9500.0	727.7	12.9	48.2	883.0	660.1			1.000230
10000.0	714.6	11.7	49.1	870.9	658.6			1.000226
10500.0	701.7	10.5	49.9	859.0	657.2			1.000221
11000.0	688.9	9.0	54.3	847.6	655.6			1.000219
11500.0	676.4	7.6	59.4	836.5	653.9			1.000216
12000.0	664.0	6.2	58.9	825.6	652.1			1.000211
12500.0	651.8	5.5	42.2	813.0	651.1			1.000200
13000.0	639.8	5.4	25.7	799.0	650.7			1.000189
13500.0	628.0	5.2	26.5	784.8	650.5			1.000186
14000.0	616.4	4.1	34.0	773.0	649.3			1.000186
14500.0	604.9	2.7	52.3	762.0	647.9			1.000169
15000.0	593.7	1.7	62.1	750.5	646.7			1.000169
15500.0	582.6	1.4	54.4	737.6	646.2			1.000183
16000.0	571.6	.4	52.5	726.1	645.1			1.000179
16500.0	560.7	-.6	51.8	715.2	643.8			1.000175
17000.0	550.1	-1.6	51.2	704.4	642.6			1.000171
17500.0	539.6	-2.7	50.6	693.8	641.3			1.000168
18000.0	529.4	-3.7	49.9	683.3	640.0			1.000164
18500.0	519.3	-4.7	49.3	672.0	638.7			1.000161
19000.0	509.5	-5.8	48.6	662.9	637.5			1.000158
19500.0	499.8	-6.8	47.8	652.9	636.2			1.000155
20000.0	490.1	-7.5	36.6	642.1	635.3			1.000150
20500.0	480.7	-8.1	25.4	631.4	634.4			1.000145
21000.0	471.3	-8.9	20.8	621.0	633.5			1.000142
21500.0	462.1	-9.7	20.3	610.8	632.5			1.000139
22000.0	453.1	-10.6	21.4	600.8	631.5			1.000137
22500.0	444.2	-11.7	31.5	591.5	630.1			1.000136
23000.0	435.5	-12.8	41.6	582.2	628.8			1.000135

AX WIND DATA INVALID DUE TO MISSING RAW AZIMUTH AND ELEVATION ANGLES.

GEODETIC COORDINATES
32.48034 LAT DEG
106.42307 LON DEG

UPPER AIR DATA
2180000203
S M R

STATION ALTITUDE 3497.30 FEET MSL
6 AUG. 79 0630 HRS MST
ASCENSION NO. 203

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREE CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION, DEGREE (T.M.)	SPEED KNOTS	INDEX OF REFRACTION
23500.0	426.9	-13.9	51.7	573.2	627.5	40.2	2.0	1.000134
24000.0	418.4	-15.0	49.9	564.2	626.2	25.5	2.3	1.000131
24500.0	410.1	-16.1	44.6	555.3	624.8	57.3	1.9	1.000128
25000.0	401.9	-17.2	39.2	546.6	623.5	88.9	2.2	1.000125
25500.0	393.8	-18.4	34.9	538.3	621.9	109.1	2.7	1.000123
26000.0	385.8	-19.7	33.8	529.9	620.4	110.4	3.3	1.000121
26500.0	377.8	-20.8	35.3	521.5	618.9	121.9	4.0	1.000119
27000.0	370.0	-22.0	36.8	513.1	617.5	123.9	4.1	1.000117
27500.0	362.4	-23.2	38.3	505.0	616.0	127.2	4.0	1.000115
28000.0	354.9	-24.4	39.8	497.0	614.5	144.2	3.2	1.000113
28500.0	347.6	-25.6	41.3	489.1	613.0	163.4	2.2	1.000111
29000.0	340.5	-26.8	42.8	481.3	611.6	238.5	.7	1.000109
29500.0	333.4	-28.0	44.3	473.7	610.1	343.4	2.1	1.000107
30000.0	326.6	-29.2	45.7	466.2	608.6	2.7	4.7	1.000105
30500.0	319.7	-29.8	19.4	457.6	607.8	14.0	6.0	1.000103
31000.0	313.0	-30.2	12.6**	448.7	607.3	23.4	7.1	1.000100
31500.0	306.3	-31.2	6.2**	441.1	605.9	23.5	7.3	1.000098
32000.0	299.8	-32.3		433.7	604.6	23.2	7.5	1.000097
32500.0	293.3	-33.6		426.6	602.9	28.7	8.4	1.000095
33000.0	286.9	-34.9		419.6	601.3	32.6	9.1	1.000093
33500.0	280.7	-36.2		412.7	599.7	34.8	9.0	1.000092
34000.0	274.6	-37.5		405.9	598.0	34.1	8.4	1.000090
34500.0	268.6	-38.8		399.2	596.4	28.2	6.9	1.000089
35000.0	262.7	-40.1		392.7	594.8	26.7	5.6	1.000087
35500.0	257.0	-41.4		386.3	593.1	31.9	4.9	1.000086
36000.0	251.4	-42.7		380.0	591.4	36.6	4.6	1.000085
36500.0	245.8	-43.8		373.5	589.9	40.0	4.7	1.000083
37000.0	240.3	-45.0		366.9	588.4	45.6	5.3	1.000082
37500.0	234.9	-46.1		360.4	587.1	50.8	6.3	1.000080
38000.0	229.6	-46.6		353.2	586.3	57.0	8.0	1.000079
38500.0	224.4	-47.3		346.2	585.5	61.6	10.0	1.000077
39000.0	219.3	-48.4		339.9	584.1	64.2	11.7	1.000076
39500.0	214.2	-49.5		333.7	582.6	68.2	13.3	1.000074
40000.0	209.3	-50.6		327.6	581.2	68.4	14.2	1.000073
40500.0	204.5	-51.7		321.7	579.8	70.4	15.0	1.000072
41000.0	199.8	-52.7		315.8	578.4	72.0	16.1	1.000070
41500.0	195.1	-53.8		309.9	577.0	73.3	17.3	1.000069
42000.0	190.6	-54.8		304.0	575.7	77.7	19.4	1.000068
42500.0	186.1	-55.8		298.3	574.3	81.0	21.8	1.000066
43000.0	181.7	-56.8		292.7	573.0	83.4	23.2	1.000065

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 3497.30 FEET MSL 6 AUG 79 0830 HRS MST ASCENSION 10. 203				UPPER AIR DATA 2180000200 S M R			GEODETIC COORDINATES 32.48034 LAT DEG 106.42307 LONG DEG		
GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED SOUND KNOTS	WIND DIRECTION DEGREES (TN)	WIND SPEED KNOTS	INDEX OF REFRACTION	
43500.0	177.4	-57.7		286.9	571.8	88.7	24.5	1.000064	
44000.0	173.1	-58.5		281.0	570.8	89.0	25.4	1.000063	
44500.0	169.0	-59.3		275.2	569.8	89.0	26.3	1.000061	
45000.0	164.9	-60.0		269.6	568.8	89.0	26.8	1.000060	
45500.0	161.0	-60.8		264.0	567.7	89.1	27.3	1.000059	
46000.0	157.1	-61.5		258.6	566.7	89.4	27.2	1.000058	
46500.0	153.3	-62.3		253.3	565.7	91.7	26.8	1.000056	
47000.0	149.6	-63.0		248.1	564.7	93.0	27.0	1.000055	
47500.0	146.0	-63.5		242.0	564.1	93.4	27.9	1.000054	
48000.0	142.4	-64.0		237.2	563.4	97.4	28.6	1.000053	
48500.0	138.9	-64.4		231.9	562.8	99.7	29.1	1.000052	
49000.0	135.5	-64.9		226.7	562.2	101.4	29.5	1.000050	
49500.0	132.2	-65.4		221.6	561.6	104.5	29.9	1.000049	
50000.0	128.9	-65.8		216.7	560.9	107.5	30.0	1.000048	
50500.0	125.7	-66.4		211.9	560.1	111.8	29.1	1.000047	
51000.0	122.6	-67.0		207.2	559.3	115.4	28.4	1.000046	
51500.0	119.6	-67.6		202.6	558.5	118.9	26.8	1.000045	
52000.0	116.6	-68.2		198.2	557.7	117.1	25.2	1.000044	
52500.0	113.7	-68.8		193.8	557.0	114.0	24.0	1.000043	
53000.0	110.9	-69.4		189.5	556.2	110.9	23.1	1.000042	
53500.0	108.1	-69.9		185.3	555.4	108.4	22.0	1.000041	
54000.0	105.4	-70.4		181.1	554.7	108.3	20.4	1.000040	
54500.0	102.7	-71.0		176.9	554.0	108.5	19.0	1.000039	
55000.0	100.1	-71.5		172.9	553.2	109.0	19.2	1.000039	
55500.0	97.6	-70.6		167.9	554.4	105.1	19.5	1.000037	
56000.0	95.2	-69.7		163.0	553.7	102.7	20.3	1.000036	
56500.0	92.8	-68.7		158.2	557.0	100.2	21.4	1.000035	
57000.0	90.5	-67.8		153.5	558.3	98.2	22.3	1.000034	
57500.0	88.3	-66.9		149.0	559.0	98.7	22.7	1.000033	
58000.0	86.1	-65.9		144.7	560.8	95.2	23.1	1.000032	
58500.0	83.9	-65.0		140.4	562.1	92.4	23.0	1.000031	
59000.0	81.8	-64.6		136.7	562.6	89.4	23.0	1.000030	
59500.0	79.8	-63.7		134.0	561.2	86.0	23.5	1.000030	
60000.0	77.9	-63.2		130.5	561.8	82.5	24.4	1.000029	
60500.0	76.0	-62.5		126.8	562.8	80.1	25.5	1.000028	
61000.0	74.1	-63.7		123.3	563.7	84.0	27.6	1.000027	
61500.0	72.3	-63.0		119.9	564.7	87.4	30.2	1.000027	
62000.0	70.6	-62.3		116.6	565.7	90.0	31.4	1.000026	
62500.0	68.8	-61.9		113.5	566.2	93.4	31.8	1.000025	
63000.0	67.2	-61.7		110.7	568.5	95.4	32.4	1.000025	

GEODETIC COORDINATES
32.48034 LAT DEG
106.42307 LONG DEG

UPPER AIR DATA
2180000263
S M R

STATION ALTITUDE 3997.30 FEET MSL
6 AUG. 79 0830 HRS MST
ASCENSION NO. 203

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES (TN)	SPEED KNOTS	INDEX OF REFRACTION
03500.0	65.6	-61.5		107.9	566.8	95.9	32.4	1.000024
04000.0	64.0	-61.1		105.1	567.2	94.9	32.4	1.000023
04500.0	62.4	-60.1		102.1	568.7	95.0	32.2	1.000023
05000.0	61.0	-59.0		99.2	570.1	96.1	31.8	1.000022
05500.0	59.5	-57.9		96.3	571.5	100.0	31.5	1.000021
06000.0	58.1	-57.5		93.9	572.0	103.9	29.6	1.000021
06500.0	56.7	-57.3		91.6	572.3	107.0	27.6	1.000020
07000.0	55.4	-57.1		89.3	572.6	111.4	25.7	1.000020
07500.0	54.1	-56.9		87.1	572.8	112.6	24.0	1.000019
08000.0	52.8	-56.8		85.0	573.1	114.0	22.2	1.000019
08500.0	51.5	-56.6		82.9	573.4	114.6	21.1	1.000018
09000.0	50.3	-56.4		80.9	573.6	114.5	20.6	1.000018
09500.0	49.1	-56.4		79.0	573.6	114.4	20.0	1.000018
70000.0	48.0	-56.5		77.2	573.4	113.4	19.7	1.000017
70500.0	46.8	-56.6		75.4	573.3	112.3	19.4	1.000016
71000.0	45.7	-56.7		73.6	573.1	110.9	19.1	1.000016
71500.0	44.7	-56.9		71.9	573.0	108.7	19.0	1.000016
72000.0	43.6	-57.0		70.3	572.8	106.5	18.8	1.000016
72500.0	42.6	-57.1		68.7	572.9	101.0	19.0	1.000015
73000.0	41.6	-57.2		67.1	572.5	94.5	19.6	1.000015
73500.0	40.6	-57.3		65.5	572.3	87.9	20.5	1.000015
74000.0	39.6	-57.2		64.0	572.5	79.2	21.8	1.000014
74500.0	38.7	-56.8		62.3	573.1	71.0	23.5	1.000014
75000.0	37.8	-56.3		60.7	573.7	64.2	25.7	1.000014
75500.0	36.9	-55.8		59.2	574.3	63.3	28.8	1.000013
76000.0	36.1	-55.3		57.7	574.9	60.2	31.9	1.000013
76500.0	35.2	-54.9		56.2	575.6	67.1	34.8	1.000013
77000.0	34.4	-54.4		54.8	576.2	69.7	36.2	1.000012
77500.0	33.6	-53.9		53.4	576.8	72.0	37.6	1.000012
78000.0	32.8	-53.5		52.0	577.4	73.9	38.8	1.000012
78500.0	32.1	-53.0		50.7	578.0	74.4	38.4	1.000011
79000.0	31.3	-52.5		49.4	578.6	74.9	38.0	1.000011
79500.0	30.6	-52.1		46.2	579.2	75.0	37.7	1.000011
80000.0	29.9	-51.6		47.0	579.9	77.4	37.6	1.000010
80500.0	29.2	-51.1		45.8	580.6	79.2	37.6	1.000010
81000.0	28.5	-50.6		44.6	581.2	80.0	37.8	1.000010
81500.0	27.9	-50.0		43.5	581.9	81.0	38.6	1.000010
82000.0	27.2	-49.5		42.4	582.6	81.3	39.4	1.000009
82500.0	26.6	-49.0		41.3	583.2	82.0	40.3	1.000009
83000.0	26.0	-48.5		40.3	583.9	84.0	41.4	1.000009

STATION ALTITUDE 3497.30 FEET MSL 6 AUG. 79 0630 HRS MST ASCENSION NO. 263				UPPER AIR DATA 2480000200 S M R		GEODETIC COORDINATES 32.44034 LAT DEG 106.42307 LONG DEG		
GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES DEWPOINT CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION (T) DEGREES (T)	SPEED KNOTS	INDEX OF REFRACTION
03500.0	25.4	-48.3		39.4	584.2	65.0	42.6	1.000009
04000.0	24.8	-48.0		38.4	584.6	67.0	43.3	1.000009
04500.0	24.3	-47.8		37.5	584.9	69.0	43.0	1.000008
05000.0	23.7	-47.5		36.6	585.2	91.6	42.8	1.000008
05500.0	23.2	-47.3		35.8	585.5	92.7	40.9	1.000008
06000.0	22.7	-47.0		34.9	585.8	93.0	37.3	1.000008
06500.0	22.2	-46.8		34.1	586.1	93.3	33.8	1.000008
07000.0	21.7	-46.5		33.3	586.4	95.0	30.9	1.000007
07500.0	21.2	-46.3		32.5	586.8	97.0	28.3	1.000007
08000.0	20.7	-46.1		31.7	587.1	100.7	25.8	1.000007
08500.0	20.2	-45.8		31.0	587.4	101.4	25.1	1.000007
09000.0	19.8	-45.7		30.3	587.5	101.7	24.7	1.000007
09500.0	19.3	-45.7		29.6	587.5	101.9	24.2	1.000007
90000.0	18.9	-45.8		28.9	587.5	100.2	22.9	1.000006
90500.0	18.5	-45.8		28.3	587.4	98.3	21.6	1.000006
91000.0	18.1	-45.8		27.7	587.4	96.7	20.8	1.000006
91500.0	17.6	-45.8		27.0	587.4	96.4	21.5	1.000006
92000.0	17.3	-45.8		26.4	587.4	96.2	22.1	1.000006
92500.0	16.9	-45.9		25.8	587.3	96.0	23.4	1.000006
93000.0	16.5	-45.9		25.3	587.3	95.7	25.4	1.000006
93500.0	16.1	-45.9		24.7	587.3	95.5	27.5	1.000005
94000.0	15.8	-45.9		24.2	587.3	95.0	31.0	1.000005
94500.0	15.4	-45.9		23.6	587.2	94.3	35.6	1.000005
95000.0	15.1	-46.0		23.1	587.2	93.9	40.2	1.000005
95500.0	14.7	-46.0		22.6	587.2	92.6	43.7	1.000005
96000.0	14.4	-46.0		22.1	587.2	91.2	46.8	1.000005
96500.0	14.1	-45.3		21.5	586.1	89.9	49.9	1.000005
97000.0	13.8	-44.6		21.0	589.0			1.000005
97500.0	13.5	-43.9		20.4	589.9			1.000005
98000.0	13.2	-43.2		19.9	590.8			1.000004

STATION ALTITUDE 3497.30 FEET MSL
 6 AUG. 79 0830 HRS MST
 ASCENSION NO. 263

MRN SIGNIFICANT LEVEL DATA
 2180000203
 S N R

GEODETIC COORDINATES
 32.46034 LAT DEG
 106.42307 LOIN DEG

GEOPOTENTIAL ALTITUDE DECA METERS	DIRECTION DEG (TN)	SPEED MPS	WIND DATA		E-W MPS	U-W PT DEF DEG C	TEMPERATURE		PRESSURE MILLIBARS
			N-S MPS				AIR DEG C		
2979.	999.**	9999.**	-9999.**		-9999.**	99	-42.8		1.300+1
2911.	91.	24.	1.		-24.	99	-46.0		1.440+1
2092.	102.	13.	3.		-13.	99	-45.7		2.000+1
2518.	64.	21.	-2.		-21.	99	-48.5		2.600+1
2425.	77.	19.	-4.		-19.	99	-51.7		3.000+1
2241.	83.	11.	-1.		-11.	99	-57.4		4.000+1
2099.	114.	10.	4.		-10.	99	-56.3		5.000+1
1992.	101.	16.	3.		-16.	99	-57.7		5.920+1
1942.	95.	17.	1.		-17.	99	-61.3		6.420+1
1888.	92.	16.	0.		-16.	99	-62.1		7.000+1
1809.	86.	12.	-1.		-12.	99	-65.8		7.960+1
1788.	90.	12.	0.		-12.	99	-64.3		8.240+1
1672.	107.	10.	3.		-9.	99	-71.5		1.000+2

** WIND DATA NOT COMPUTED DUE TO MISSING RAW AZIMUTH AND ELEVATION ANGLES.

STATION ALTITUDE 3997.30 FEET MSL
6 AUG. 79 .
0630 HRS MST
ASCENSION NO. 263

MANDATORY LEVELS
21800.0203
S M R

GEODETIC COORDINATES
32.48034 LAT DEG
106.42307 LONG DEG

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM. PERCENT	WIND DATA	
MLLIBARS	FEET	AIR DEGREES	DEWPOINT CENTIGRADE		DIRECTION DEGREES (TN)	SPEED KNOTS
850.0	5141.	20.2	6.2	40.	9999.0	9999.0XX
800.0	6851.	18.1	5.7	44.	9999.0	9999.0XX
750.0	8656.	14.2	7.2	63.	194.8	5.0
700.0	10557.	10.3	.3	50.	118.6	4.2
650.0	12562.	5.5	-7.1	40.	105.9	7.8
600.0	14701.	2.1	-4.6	61.	150.0	13.4
550.0	16994.	-1.6	-10.4	51.	141.5	13.5
500.0	19462.	-6.8	-15.9	48.	162.9	5.3
450.0	22141.	-11.0	-27.1	25.	100.1	4.7
400.0	25074.	-17.4	-28.3	38.	93.8	2.3
350.0	28306.	-25.2	-34.8	41.	159.0	2.8
300.0	31923.	-32.3			42.8	7.5
250.0	36049.	-43.0			37.4	4.6
200.0	40882.	-52.7			71.9	16.0
175.0	43674.	-58.2			89.4	25.1
150.0	46823.	-63.0			93.5	26.9
125.0	50475.	-66.6			112.7	29.0
100.0	54850.	-71.5			106.8	19.2
80.0	59250.	-65.6			86.6	23.4
70.0	61944.	-62.1			91.5	31.5
60.0	65088.	-58.3			99.0	31.6
50.0	68874.	-56.3			114.5	20.4
40.0	73513.	-57.4			83.4	21.2
30.0	79556.	-51.7			76.9	37.7
25.0	83471.	-48.1			60.8	43.3
20.0	88323.	-45.7			101.5	24.9
15.0	94607.	-46.0			93.8	40.5

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

AX WIND DATA INVALID DUE TO MISSING RAW AZIMUTH AND ELEVATION ANGLES.

STATION ALTITUDE 3997.30 FEET MSL
 6 AUG 79 0830 HRS MST
 ASCENSION NO. 263

MRN ~~MANUATOR~~ RECEIVED
 2180060203
 S M R

GEODETIC COORDINATES
 32.48034 LAT DEG
 106.42307 LON DEG

GEOPOTENTIAL ALTITUDE DECAMETERS	DIRECTION DEG (TN)	WIND DATA SPEED MPS	N-S MPS	E-W MPS	DEW PT DEW DEG C	TEMPERATURE AIR DEG C	PRESSURE MILLIBARS
2864.	94.	21.	1.	-21.	99	-46.0	1.500+1
2692.	102.	13.	3.	-13.	99	-45.7	2.000+1
2544.	87.	22.	-1.	-22.	99	-48.1	2.500+1
2425.	77.	19.	-4.	-19.	99	-51.7	3.000+1
2441.	83.	11.	-1.	-11.	99	-57.4	4.000+1
2099.	114.	11.	4.	-10.	99	-56.3	5.000+1
1984.	100.	16.	3.	-16.	99	-58.3	6.000+1
1888.	91.	16.	0.	-16.	99	-62.1	7.000+1
1606.	87.	12.	-1.	-12.	99	-65.6	8.000+1
1672.	107.	10.	3.	-7.	99	-71.5	1.000+2
1538.	113.	13.	6.	-14.	99	-66.6	1.250+2
1427.	93.	14.	1.	-14.	99	-63.0	1.500+2
1331.	89.	13.	-0.	-13.	99	-58.2	1.750+2
1246.	72.	6.	-3.	-8.	99	-52.7	2.000+2
1099.	37.	2.	-2.	-1.	99	-43.0	2.500+2
973.	23.	4.	-4.	-1.	99	-32.3	3.000+2
863.	159.	1.	1.	-1.	09	-25.2	3.500+2
764.	94.	1.	0.	-1.	11	-17.4	4.000+2
675.	100.	2.	0.	-2.	16	-11.0	4.500+2
593.	163.	3.	3.	-1.	09	-6.8	5.000+2
518.	142.	7.	5.	-4.	09	-1.6	5.500+2
448.	150.	4.	1.	-3.	07	2.1	6.000+2
383.	106.	4.	6.	-4.	13	5.5	6.500+2
322.	119.	2.	1.	-2.	10	10.3	7.000+2
264.	195.	3.	3.	1.	07	14.2	7.500+2
209.	9999.**	9999.**	-9999.**	-9999.**	12	18.1	8.000+2
157.	9999.**	9999.**	-9999.**	-9999.**	14	20.2	8.500+2

** WIND DATA NOT COMPUTED DUE TO MISSING RAW AZIMUTH AND ELEVATION ANGLES.